

**IN THE CLAIMS:**

1           1.       (Cancelled)

1           2.       (Currently Amended) An apparatus as in Claim + 19 wherein ~~said~~ the array of  
2 light emitting diodes includes diodes emitting only red light.

1           3.       (Currently Amended) An apparatus as in Claim + 19 wherein ~~said~~ the array of  
2 light emitting diodes includes diodes emitting only blue light.

1           4.       (Currently Amended) An apparatus as in Claim + 19 wherein ~~said~~ the array of  
2 light emitting diodes includes diodes emitting only green light.

1           5.       (Currently Amended) ~~An~~ The apparatus ~~as in~~ of Claim + 19 including a pair of  
2 light emitting diode arrays disposed on two sides of ~~said light pipes~~ the liquid crystal display  
3 with a filter disposed between each light emitting diode array and the ~~light pipes, each filter for~~  
4 ~~filtering out infra red light from each light emitting diode array~~ liquid crystal display .

1           6.       (Cancelled)

1           7.       (Currently Amended) An improved lighting apparatus for a liquid crystal display  
2 in the cockpit of an aircraft, ~~said~~ the lighting apparatus comprising:

3                   a.       a pair of light emitting diode arrays disposed alongside ~~said~~ the liquid  
4 crystal display for providing illumination thereof, each light emitting diode array having a  
5 plurality of different colored light emitting diodes;

6                   b.       light pipes for transmitting light from said light emitting diode arrays  
7 across a plane parallel with and alongside said liquid crystal display; ~~and;~~

8 c. filters disposed between each of ~~said~~ the arrays and ~~said~~ the light pipes for  
9 filtering out infra-red light from ~~said~~ the light emitting diodes; and

10 d. a switch for selectively powering each same color plurality of light  
11 emitting diodes in a group or powering all the light emitting diodes in the array.

1 8. (Currently Amended) ~~An~~ The apparatus ~~as in~~ of Claim 7 wherein each of ~~said~~ the  
2 arrays of light emitting diodes include diodes emitting only red light.

1 9. (Currently Amended) ~~An~~ The apparatus ~~as in~~ of Claim 7 wherein each of ~~said~~ the  
2 arrays of light emitting diodes include diodes emitting only blue light.

1 10. (Currently Amended) ~~An~~ The apparatus ~~as in~~ of Claim 7 wherein each of ~~said~~ the  
2 arrays of light emitting diodes include diodes emitting only green light.

1 11. (Cancelled)

1 12. (Currently Amended) The method ~~as in~~ of Claim ~~11~~ 20 wherein ~~said first color is~~  
2 the array of light emitting diodes includes diodes emitting only red light.

1 13. (Currently Amended) The method ~~as in~~ of Claim ~~11~~ 20 wherein ~~said first color is~~  
2 the array of light emitting diodes includes diodes emitting only green light.

1 14. (Currently Amended) The method ~~as in~~ of Claim ~~11~~ 20 wherein ~~said first color is~~  
2 the array of light emitting diodes includes diodes emitting only blue light.

1           15.     (Currently Amended) A method for illuminating a liquid crystal display in an  
2 aircraft cockpit for viewing by a pilot wearing ~~infra-red~~ night-vision goggles, said method  
3 comprising:

4                   a.     activating an array of a plurality of different color light emitting diodes  
5 adjacent ~~light pipes disposed alongside said~~ the liquid crystal display;

6                   b.     filtering infra-red light emitted by ~~said~~ the array of light emitting diodes;  
7 and,

8                   c.     switching ~~colors of said~~ on the light emitting diodes in groups, according  
9 to color as required by a pilot of the aircraft.

1           16.     (Currently Amended) The method ~~as in~~ of Claim 15 wherein ~~said~~ the step of  
2 switching ~~colors~~ further includes switching on only those light emitting diodes emitting ~~red~~  
3 green light.

1           17.     (Currently Amended) The method ~~as in~~ of Claim 15 wherein ~~said~~ the step of  
2 switching ~~colors~~ further includes switching on ~~only those~~ all the light emitting diodes ~~emitting~~  
3 ~~blue~~ to emit a white light.

1           18.     (Currently Amended) The method ~~as in~~ of Claim 15 wherein ~~said~~ the step of  
2 switching ~~colors~~ further includes switching on only those light emitting diodes emitting ~~green~~  
3 blue light.

1           19.   (Currently Amended) A ~~multi-color~~ switchable lighting apparatus for a liquid  
2 crystal display, comprising:

3           a.     an array of a plurality of different color light emitting diodes disposed  
4 alongside a ~~plane perpendicular to~~ the liquid crystal display for providing illumination thereof,

5                     ~~the array comprising a plurality of different color light emitting diodes for~~  
6                     ~~emitting light of more than one color,~~

7                     the light emitting diodes of each color being addressable electrically  
8                     connected together as a color group, whereby each different color group can be  
9                     illuminated separately;

10                    ~~each color group corresponding to a wavelength of light that is adapted to~~  
11                    ~~illuminate a LCD display for viewing with a predetermined type of night vision~~  
12                    ~~equipment;~~

13           b.     ~~light pipes for transmitting light from the light emitting diodes across a~~  
14 ~~plane parallel with the liquid crystal display, the transmitted light illuminating the liquid crystal~~  
15 ~~display;~~

16           c.     ~~an infra-red~~ a filter for multi-color displays disposed between the array of  
17 light emitting diodes and the ~~light pipes~~ liquid crystal display for filtering out infra-red light from  
18 the light emitting diodes of all color groups in the array; and

19           d.     a switch for selectively powering each same color ~~group~~ of light emitting  
20 diodes in the color groups in the array, ~~each switch being used together or separately so that each~~  
21 ~~of powering all~~ the color groups may be selectively powered.

1           20.   (Currently Amended) A method of providing multi-color and monochrome  
2 illumination ~~for~~ from a liquid crystal display, ~~comprising~~ the steps of the method comprising:

3                   a.     ~~selectively activating one or more color groups from an array of light~~  
4 ~~emitting diodes,~~

5                   the providing an array comprising a plurality of a plurality of different color light  
6 emitting diodes ~~for emitting light of more than one color~~, the light emitting diodes of each the  
7 same color being individually addressable together as a grouped in a color group,

8                   ~~each color group corresponding to a wavelength of light that is adapted to~~  
9 ~~illuminate a LCD display for viewing with a predetermined type of night vision equipment;~~

10                  b.     ~~filtering infra-red light from the light emitting diodes of all color groups;~~  
11 ~~and from the array of light to remove infra-red light;~~

12                  c.     ~~transmitting filtered light from the activated light emitting diodes into light~~  
13 ~~pipes for transmitting light across a plane parallel with the liquid crystal display, the transmitted~~  
14 ~~light illuminating the liquid crystal display~~

15                   switching each separate color group on for illumination by one color; and

16                   switching all the color groups on for illumination by all the colors.